



THE UNIVERSITY *of* EDINBURGH

## Edinburgh Research Explorer

### Statistical considerations in reporting cardiovascular research

**Citation for published version:**

Lindsey, ML, Gray, GA, Wood, SK & Curran-everett, D 2018, 'Statistical considerations in reporting cardiovascular research', *American Journal of Physiology - Heart and Circulatory Physiology*, vol. 315, no. 2, pp. H303-H313. <https://doi.org/10.1152/ajpheart.00309.2018>

**Digital Object Identifier (DOI):**

[10.1152/ajpheart.00309.2018](https://doi.org/10.1152/ajpheart.00309.2018)

**Link:**

[Link to publication record in Edinburgh Research Explorer](#)

**Document Version:**

Peer reviewed version

**Published In:**

American Journal of Physiology - Heart and Circulatory Physiology

**Publisher Rights Statement:**

This is the authors accepted manuscript as accepted by American Journal of Physiology

**General rights**

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



# Statistical Considerations in Reporting Cardiovascular Research

Merry L. Lindsey<sup>1\*</sup>, Gillian A Gray<sup>2</sup>, Susan K. Wood<sup>3</sup>, and Douglas Curran-Everett<sup>4\*</sup>

<sup>1</sup>Mississippi Center for Heart Research, Department of Physiology and Biophysics, University of Mississippi Medical Center, Jackson, MS 39216 USA; and Research Service, G.V. (Sonny) Montgomery Veterans Affairs Medical Center, Jackson, MS 39216 USA; <sup>2</sup>BHF/University Centre for Cardiovascular Science, Edinburgh Medical School, University of Edinburgh, Edinburgh, UK; <sup>3</sup>Department of Pharmacology, Physiology and Neuroscience, University of South Carolina School of Medicine, Columbia, SC; and <sup>4</sup>Division of Biostatistics and Bioinformatics, National Jewish Health, Denver, Colorado; and Department of Biostatistics and Informatics, Colorado School of Public Health, University of Colorado Denver, Denver, CO

\*co-chairs and co-corresponding authors  
Address for Correspondence:

Merry L. Lindsey, Ph.D.  
Department of Physiology and Biophysics  
University of Mississippi Medical Center  
2500 North State St., Jackson, MS 39216-4505, USA  
(phone) +1601-815-1329 (fax) +1601-984-1817  
email: [mlindsey@umc.edu](mailto:mlindsey@umc.edu) or

Douglas Curran-Everett, Ph.D.  
Division of Biostatistics and Bioinformatics, M222  
National Jewish Health 1400 Jackson St., Denver, CO 80206-2761  
(phone) 303.398.1209 (fax) 303.270.2131  
e-mail: [EverettD@NJHealth.org](mailto:EverettD@NJHealth.org)

Running Title: Statistical Guidelines

Word count: 11,121

## Abstract

The problem of inadequate statistical reporting is long-standing and widespread in the biomedical literature, including in cardiovascular physiology. Although guidelines for reporting statistics have been available in clinical medicine for some time, there are currently no guidelines specific to cardiovascular physiology. To assess the need for guidelines, we determined the type and frequency of statistical tests and procedures currently used in *American Journal of Physiology: Heart and Circulatory Physiology*. A PubMed search for articles published in the *Journal* between January 1, 2017 and October 6, 2017 provided a final sample of 146 articles evaluated for methods used and 38 articles for in depth analysis. The t-test and ANOVA accounted for 71% (212/300) of the statistical tests performed. Of 6 categories of post hoc tests, Bonferroni and Tukey were used in 63% (62/98). There was an overall lack in details provided by authors publishing in the *Journal*, and we compiled a list of recommended minimum reporting guidelines to aid authors in preparing manuscripts. Following these guidelines could substantially improve the quality of statistical reports and enhance data rigor and reproducibility.

**Keywords:** statistics, physiology, cardiovascular disease, big data, rigor and reproducibility, meta-research, meta-science

## Introduction

Measuring variables of cardiac physiology is a foundation of cardiovascular research, and analyzing physiological measurements involves statistics. With increasing discussion over rigor and reproducibility,(66, 135) the goals of guidelines are to provide best practice information regarding statistical analysis and to recommend how to report statistics for cardiovascular physiology research. Up to 50% of studies are not reproducible, perhaps in part because the statistical analyses cannot be evaluated from the information given.(8) Potential issues with statistics include studies that lack adequate statistical power, use inappropriate statistical tests, fail to confirm test assumptions, fail to account for and explain outlying values or missing data, and do not consider units of analysis. Adequate reporting of statistics will help to determine if any of these issues are applicable.

This article focuses on the statistics used in cardiovascular physiology research. We review the most commonly used tests in *AJP Heart* publications and summarize current best practices. We provide a checklist for authors to use in designing experiments and writing manuscripts and for reviewers to use in assessing the statistical tests and procedures reported in manuscripts. In addition, the reference section is a resource for those who wish to learn more about the technical aspects of statistical approaches, which are not discussed in detail here.

We focus on statistical use in animal research, which is the majority of research reported in this journal. For statistical guidelines for clinical research, please see the recent Guidelines for the Content of Statistical Analysis Plans in Clinical Trials published by the Journal of the American Medical Association and other resources.(60, 91, 137) Our guidelines add to previous guidelines on statistical use (41, 43, 44) and dovetail with recent efforts by *AJP Heart* to provide guidelines for articles on antibody use, recording sympathetic nerve activity, animal models of myocardial ischemia and infarction, and cardiac physiology measurements.(19, 76, 115, 116)

## Most commonly used statistical tests in AJP Heart publications

We assessed articles published by *AJP Heart* to identify the most commonly used statistical tests and to evaluate current practices in reporting statistics. The search included all 2017 journal articles published in *AJP Heart*, from January 1 to date of search (October 6, 2017). Articles were identified from PubMed using the search term “[journal] Am J Physiol Heart Circ Physiol”. Of these 254 articles, those concerning corrections, errata, reviews, editorials, and articles in press were excluded, leaving 160 original research articles, of which all were downloaded for evaluation of methods used. Of these downloaded articles, 40 were chosen by formal random selection for an additional, in depth evaluation of the statistics used. Of the 160 articles, 14 were not evaluated because they were false positive selections (8 editorials, 1 historical perspective, and 5 computational or modeling articles that used no statistics), leaving 146 articles evaluated for statistical methods used and 38 articles for the in depth analysis. (1, 4, 5, 7, 9-18, 21-23, 25, 26, 45-59, 61, 63, 64, 67-69, 71-75, 77-80, 82-90, 92-97, 99-101, 103, 104, 108-114, 117-121, 123-126, 128-131, 133, 136, 138-145, 147-159, 162-183, 186-189, 192-199) Three evaluators abstracted the data and performed the analysis (GAG, MLL, and SKW). To assess consistency across evaluators, 20 of the 146 (5 of the 38) were randomly selected and analyzed twice (by GAG and MLL); all had good degree of concordance. Both analyzers identified the same statistical tests and were identical with the in depth evaluations of the details provided by authors.

We identified 6 categories of statistical tests: analysis of variance (ANOVA), chi-square tests, regression, t-tests, other two-sample tests, and other. Of the 300 tests, the t-test and ANOVA accounted for 212 (71%; **Table 1**). Because the statistics details were grouped, it was difficult to ascertain how many cases there were where multiple t-tests were used when an ANOVA was appropriate. There were only a few cases (<5) where we had suspicions that a t-test had been used instead of ANOVA. Overall, authors appear to understand what tests are appropriate to use or reviewers are requesting corrections during peer review. For the other

test category, the most frequent tests were the Shapiro-Wilk normality test, the Kolmogorov-Smirnov normality test, and the Bland-Altman analysis, accounting for 13 of 36 other tests (36%). Of the 7 post hoc tests used, including Bonferroni, Dunnett, Holm Sidak, Least Significant Difference, Student-Newman-Keuls, Tukey, and other, Bonferroni and Tukey post-tests accounted for 62/98 (63%; **Table 2**).

Standard error of the mean (SE) was used to report error 82% of the time (n=31 of 38), as opposed to 4 uses of the standard deviation and 3 cases where type of error reported was not identified or other was used (**Table 3**). All 38 articles named the tests used, and of the 146 articles evaluated, only 1 did not report what test(s) had been used. The statistical software program was reported in 66% of the 38 articles, with GraphPad Prism (<https://www.graphpad.com/>) and SPSS Software (IBM) accounting for 80%. Actual sample sizes for each group were reported 79% of the time; the remaining articles reported sample sizes as a range (e.g., n=6 to 8 per group). The *P* value was reported as <0.05 for in 89%, and different *P*-value thresholds (i.e., assigning differences among  $P<0.05$ ,  $P<0.01$ , and  $P<0.001$ ) were reported in 47% of the articles. The assumption of normality was tested for 21% of the articles, but a power analysis was reported in only 3%. In most cases, information on whether normality testing or power analysis had been completed was not provided. Practices that are not good habits in clinical research, including optional stopping or not following sequential analysis rules, could not be evaluated based on the information provided.(62) Whether there is a proclivity towards collecting data until significance is reached may be an issue for animal and *in vitro* research. Overall, this analysis highlights that while most groups appear to be using statistics appropriately, more detailed instructions are needed on what should be reported.

#### **Guidelines for reporting statistics: minimum details needed**

The minimum information we recommend for reporting statistical analyses comes from several sources (**Table 4**).(42, 43, 105-107, 127, 132, 134) This advice is in line with published guidelines, including the Animals in Research: Reporting *In Vivo* Experiments (ARRIVE)

guidelines.(98) Having a stand-alone statistical section in the methods may not be the best way to allow rigorous assessment and reproducibility of findings. Instead, incorporating statistical information in individual methods sections and figure and table legends may be more appropriate. Other options include hosting analysis scripts, data, and more detailed information (e.g., degrees of freedom and F-ratio) on repository sites such as FigShare and Open Science Framework (<https://cos.io/our-products/osf/>).(160)

The use of  $P$  value thresholds (e.g.,  $P < 0.05$ ) reflects both historical, formal statistical theory and practice, and the fact that  $P$  values were obtained using tables because of computational limitations. Reporting exact  $P$  values rather than threshold values is important for assessing reproducibility; this is particularly true when the  $P$  value is in the 0.01 to 0.10 range. For example, a  $P$  value of 0.04 in one study is statistically significant, whereas a  $P$  value of 0.06 in a replicate study is not. Reproducibility issues would arise if the only information provided were whether the threshold for significance was met. At the same time, reporting exact  $P$  values in an attempt to say that one comparison is more significant (has a lower  $P$  value) than another comparison, is not appropriate.

The standard deviation should be reported when one replicate measurement is made for each data point. For example, if blood pressure is acquired once for each subject, standard deviation should be reported. The standard error of the mean should be used when multiple measurements are made for each data point. For example, if blood pressure is acquired multiple times for each subject and averaged, standard error of the mean should be reported. Interquartile range is another way to show variability within a group. Confidence intervals provide details on the uncertainty about the true value of the population and keep the interpretation focused on the physiology and not merely on statistical probabilities (or chance) as an explanation for differences.

Using box and whisker plots or similar graph to show individual responses instead of bar graphs is recommended for data visualization.(190, 191) This will allow readers to assess the

variation in individual responses. Showing individual responses may not be practical and may reduce clarity; for example, when using multiple line graphs such as in articles by Brooks et al and Zhang et al.(20, 200) We recommend that the authors select graphs that best represent the data reported.

### **Common statistical tests**

Analysis plans should be chosen a priori, and contingency plans set in case there are violations of assumptions of the original tests (see [http://www.stat.columbia.edu/~gelman/research/unpublished/p\\_hacking.pdf](http://www.stat.columbia.edu/~gelman/research/unpublished/p_hacking.pdf) for more details). Flow charts can be used to determine which descriptive statistics and tests may be most appropriate for analyzing a dataset; for example figures in Bernard Rosner's Fundamentals of Biostatistics.(146) **Table 5** provides a list of the common statistical tests with descriptions and assumptions. More details on these concepts can be found in the Exploration in Statistics series published by *Advances in Physiology Education*.(29-39, 41) Additional resources also provide more details on specifics of individual tests.(185) In addition, we highly recommend that a statistician be consulted as needed. All statistical tests have assumptions, so it is important to determine whether your data met the assumptions of the analysis and whether the results of your statistical analysis are meaningful. There are a number of tests that can be performed to assess analysis quality; for example, test statistics, testing for residuals, and testing for co-linearity. While not commonly used in the analysis of cardiovascular physiology, there are additional details that can be reported, including the coefficient of multiple determination, degrees of freedom, and measures of goodness-of-fit.

**Determination of statistical power.** Power analyses should be done during the experimental design process in order to estimate the sample size needed to detect a difference that is scientifically important.(27) Sample sizes that are too large wastes resources, while sample sizes that are too low are subject to false negative results (type II error). There is also a balance between theoretically ideal and practically feasible that needs to be considered when



designing experiments. There are a number of online calculators for power analysis that are easy to use, including <http://powerandsamplesize.com/>, <http://clincalc.com/stats/samplesize.aspx>, and <https://www.stat.ubc.ca/~rollin/stats/ssize/n2.html>. The main assumption of the power analysis is that the data involve random sampling. Two other considerations are 1) the power analysis is performed a priori to set a pre-planned sample size and 2) the effect size is the smallest of interest rather than a pre-observed value. A more in-depth discussion of power, including bias that occurs when small sample pilot studies are utilized to estimate the expected effect size in prospective power analysis, is beyond the scope of this article.(2)

**Outlier assessment.** An outlier is defined as a data point that deviates markedly from the other observations in the sample, located on the remote tail end of the true population. Physiologists filter outliers in several ways. Statistical analyses assume the data are free of outliers, and thus every data set should be evaluated for the presence of relevant statistical outliers before analysis to avoid faulty conclusions. If the outlying value was demonstrably incorrectly measured or an error occurred while documenting the data and correction is not possible, the value may be dropped. Determining whether the outlier is physiologically possible is one criteria that can be used to make this assessment. Several tests can be used to statistically detect outliers.(6)

The Dixon test determines whether a value is too small or large compared to its nearest neighbor.(184) The Grubb's Test determines whether a single outlier is present, whereas the Generalized Extreme Studentized Deviate can detect more than one outlier.(70) Of course, the physiology should be considered into this assessment, and physiological plausibility can be a criteria for inclusion. The truncated outlier filtering method first replaces the maximum and minimum or the sample population prior to computing the exclusion criterion. This results in a more compact criterion for the determination of the outlier.(28)

Whether the outlier should be removed can be decided using the following guidelines. If the outlier does not change the results, it is acceptable to include the outlier. If the outlier affects overall results, the final statistical analysis with and without the outlier should be presented. In the end, whichever statistical method you chose and rationale you use to filter an outlier, it is critical to report this information in the methods and results.

**Missing data.** Even with the most rigorous study designs, missing data or subject dropouts are possible. Although missing data imposes a serious challenge to statistical analysis, there are acceptable strategies to handle such events. Several comprehensive reviews have been written on this topic; Slinker and Glantz review how to handle missing data under conditions of a two-way ANOVA,(161) and He reviews multiple imputation, a common statistical technique for analyzing incomplete data sets.(81)

**Big data analysis.** Analysis of big datasets such as omics datasets are distinct from the traditional statistical approaches discussed in these guidelines and are thus beyond the scope of the present recommendations. Big data analysis requires bioinformatics coupled with statistics for data visualization. Several tools and tests can help provide new perspectives on data, including heat maps, volcano plots, principal component analysis, pathway analysis, and clustering. Statistically, controlling for false discovery rates in evaluating multiple comparisons is particularly important for large transcriptomics or proteomics datasets.(40) Although big data analysis of omics datasets is currently not prevalent in *AJP Heart* articles, they have appeared (57, 122, 164, 171) and more are anticipated.

### **Resources and software packages**

Several resources contain more detail on the use and reporting of statistics; for example, Common Statistical Errors and How to Avoid Them.(65) A number of useful decision trees on how to choose an appropriate test are available online:

[www.microsirris.com/Statistical%20Decision%20Tree/](http://www.microsirris.com/Statistical%20Decision%20Tree/) and <http://statpages.info/#WhichAnalysis>.

Commonly used software include GraphPad Prism and SPSS, as well as STATA Software

(<https://www.stata.com/>) and SAS Software ([https://www.sas.com/en\\_us/home.html](https://www.sas.com/en_us/home.html)). Of these, GraphPad Prism is user-friendly and great for graph development but limited in performing ANOVA because it can only do a 2x2 analysis and not a larger MANOVA. There are free, valid, point-and-click alternatives such as jamovi ([jamovi.org](http://jamovi.org)) and JASP ([jasp-stats.org](http://jasp-stats.org)), and both programs include effect size estimates and other analysis options. Additionally, R (<http://cran.us.r-project.org/>) has a virtually endless number of packages or extensions useful for data analysis, including a markdown useful for reducing transcription errors and several advanced data visualization options. Several other online research tools that include statistical analysis and bioinformatics platforms are available. For example, Metaboanalyst (<http://www.metaboanalyst.ca/>) is an online program originally developed as a comprehensive tool for metabolomics analysis and interpretation that can be used for any dataset; it is not limited to only analyzing metabolomics. Metaboanalyst is a good resource of bioinformatics tools, including heat maps, volcano plots, principal component analysis, and clustering. Enrichr (<http://amp.pharm.mssm.edu/Enrichr/>) is an online enrichment analysis tool that contains >180,000 annotated gene sets from >100 gene set libraries.(24, 102)

## Conclusions

This article summarizes current practices in statistical analysis reported in *AJP Heart* articles and identifies the minimum that should be included in manuscripts to allow reviewers and readers to assess data quality. The take-home messages are that statistics should be considered during the experimental design and throughout data analysis, the methods and results sections of the manuscript should describe sufficiently which tests were done for each evaluation, and there are a number of readily available resources to assist you with statistics and data visualization. Improving clarity in statistics will improve rigor and reproducibility of cardiovascular physiology studies.

## Acknowledgements

258       The authors acknowledge funding from the National Institutes of Health under Award  
259       Numbers GM104357, GM114833, and GM115428, HL051971, HL075360, HL129823, and  
260       MH113892; the Biomedical Laboratory Research and Development Service of the Veterans  
261       Affairs Office of Research and Development under Award Numbers 5I01BX000505 and 1I21  
262       BX002085; the American Heart Association Award Number 15SDG22430017; the Brain and  
263       Behavior Research Foundation Award Number 26809; the British Heart Foundation Award  
264       Number TG/18/1/33408; and Research Excellence Award (Cardiovascular Science, University  
265       of Edinburgh). The content is solely the responsibility of the author and does not necessarily  
266       represent the official views of the National Institutes of Health or the Veterans Administration.  
267

- 269 1. **Ajjola OA, Lux RL, Khahera A, Kwon O, Aliotta E, Ennis DB, Fishbein MC, Ardell JL, and**  
270 **Shivkumar K.** Sympathetic modulation of electrical activation in normal and infarcted myocardium:  
271 implications for arrhythmogenesis. *Am J Physiol Heart Circ Physiol* 312: H608-h621, 2017.
- 272 2. **Albers C, and Lakens D.** When power analyses based on pilot data are biased: Inaccurate effect  
273 size estimators and follow-up bias. *Journal of Experimental Social Psychology* 74: 187-195, 2018.
- 274 3. **Alsheikh-Ali AA, Qureshi W, Al-Mallah MH, and Ioannidis JP.** Public availability of published  
275 research data in high-impact journals. *PLoS One* 6: e24357, 2011.
- 276 4. **Aronsen JM, Espe EKS, Skardal K, Hasic A, Zhang L, and Sjaastad I.** Noninvasive  
277 stratification of postinfarction rats based on the degree of cardiac dysfunction using magnetic resonance  
278 imaging and echocardiography. *Am J Physiol Heart Circ Physiol* 312: H932-h942, 2017.
- 279 5. **Arvidsson PM, Toger J, Carlsson M, Steding-Ehrenborg K, Pedrizzetti G, Heiberg E, and**  
280 **Arheden H.** Left and right ventricular hemodynamic forces in healthy volunteers and elite athletes  
281 assessed with 4D flow magnetic resonance imaging. *Am J Physiol Heart Circ Physiol* 312: H314-h328,  
282 2017.
- 283 6. **B. I, and Hoaglin DC.** *How to Detect and Handle Outliers*. Milwaukee, WI: ASQC Quality Press,  
284 1993.
- 285 7. **Bagchi AK, Akolkar G, Mandal S, Ayyappan P, Yang X, and Singal PK.** Toll-like receptor 2  
286 dominance over Toll-like receptor 4 in stressful conditions for its detrimental role in the heart. *Am J*  
287 *Physiol Heart Circ Physiol* 312: H1238-h1247, 2017.
- 288 8. **Baker M.** 1,500 scientists lift the lid on reproducibility. *Nature* 533: 452-454, 2016.
- 289 9. **Ballmann C, Denney TS, Beyers RJ, Quindry T, Romero M, Amin R, Selsby JT, and Quindry**  
290 **JC.** Lifelong quercetin enrichment and cardioprotection in Mdx/Utrn+/- mice. *Am J Physiol Heart Circ*  
291 *Physiol* 312: H128-h140, 2017.
- 292 10. **Baranova TI, Berlov DN, Glotov OS, Korf EA, Minigalin AD, Mitrofanova AV, Ahmetov II,**  
293 **and Glotov AS.** Genetic determination of the vascular reactions in humans in response to the diving  
294 reflex. *Am J Physiol Heart Circ Physiol* 312: H622-h631, 2017.
- 295 11. **Barbic M, Moreno A, Harris TD, and Kay MW.** Detachable glass microelectrodes for recording  
296 action potentials in active moving organs. *Am J Physiol Heart Circ Physiol* 312: H1248-h1259, 2017.
- 297 12. **Barlow SC, Doviak H, Jacobs J, Freeburg LA, Perreault PE, Zellars KN, Moreau K,**  
298 **Villacreses CF, Smith S, Khakoo AY, Lee T, and Spinale FG.** Intracoronary delivery of recombinant  
299 TIMP-3 after myocardial infarction: effects on myocardial remodeling and function. *Am J Physiol Heart*  
300 *Circ Physiol* 313: H690-h699, 2017.
- 301 13. **Beaumont E, Campbell RP, Andresen MC, Scofield S, Singh K, Libbus I, KenKnight BH,**  
302 **Snyder L, and Cantrell N.** Cervical vagus nerve stimulation augments spontaneous discharge in second-  
303 and higher-order sensory neurons in the rat nucleus of the solitary tract. *Am J Physiol Heart Circ Physiol*  
304 313: H354-h367, 2017.
- 305 14. **Bloksgaard M, Leurgans TM, Spronck B, Heusinkveld MHG, Thorsted B, Rosenstand K,**  
306 **Nissen I, Hansen UM, Brewer JR, Bagatolli LA, Rasmussen LM, Irmukhamedov A, Reesink KD, and**  
307 **De Mey JGR.** Imaging and modeling of acute pressure-induced changes of collagen and elastin  
308 microarchitectures in pig and human resistance arteries. *Am J Physiol Heart Circ Physiol* 313: H164-  
309 h178, 2017.
- 310 15. **Boeldt DS, Krupp J, Yi FX, Khurshid N, Shah DM, and Bird IM.** Positive versus negative  
311 effects of VEGF165 on Ca<sup>2+</sup> signaling and NO production in human endothelial cells. *Am J Physiol Heart*  
312 *Circ Physiol* 312: H173-h181, 2017.
- 313 16. **Bond RC, Bryant SM, Watson JJ, Hancox JC, Orchard CH, and James AF.** Reduced density  
314 and altered regulation of rat atrial L-type Ca(2+) current in heart failure. *Am J Physiol Heart Circ Physiol*  
315 312: H384-h391, 2017.
- 316 17. **Bonnet B, Jourdan F, du Cailar G, and Fesler P.** Noninvasive evaluation of left ventricular  
317 elastance according to pressure-volume curves modeling in arterial hypertension. *Am J Physiol Heart Circ*  
318 *Physiol* 313: H237-h243, 2017.
- 319 18. **Brassard P, Ferland-Dutil H, Smirl JD, Paquette M, Le Blanc O, Malenfant S, and Ainslie**  
320 **PN.** Evidence for hysteresis in the cerebral pressure-flow relationship in healthy men. *Am J Physiol Heart*  
321 *Circ Physiol* 312: H701-h704, 2017.

19. **Brooks HL, and Lindsey ML.** Guidelines for Authors and Reviewers on Antibody Use in Physiology Studies. *Am J Physiol Heart Circ Physiol* 2018.
20. **Brooks SD, Hileman SM, Chantler PD, Milde SA, Lemaster KA, Frisbee SJ, Shoemaker JK, Jackson DN, and Frisbee JC.** Protection from vascular dysfunction in female rats with chronic stress and depressive symptoms. *Am J Physiol Heart Circ Physiol* 314: H1070-h1084, 2018.
21. **Cao J, Singh SP, McClung JA, Joseph G, Vanella L, Barbagallo I, Jiang H, Falck JR, Arad M, Shapiro JI, and Abraham NG.** EET intervention on Wnt1, NOV, and HO-1 signaling prevents obesity-induced cardiomyopathy in obese mice. *Am J Physiol Heart Circ Physiol* 313: H368-h380, 2017.
22. **Casadonte L, Marques KM, Spaan JAE, and Siebes M.** Temporal dissociation between the minimal distal-to-aortic pressure ratio and peak hyperemia during intravenous adenosine infusion. *Am J Physiol Heart Circ Physiol* 312: H992-h1001, 2017.
23. **Chai S, Wan X, Nassal DM, Liu H, Moravec CS, Ramirez-Navarro A, and Deschenes I.** Contribution of two-pore K(+) channels to cardiac ventricular action potential revealed using human iPSC-derived cardiomyocytes. *Am J Physiol Heart Circ Physiol* 312: H1144-h1153, 2017.
24. **Chen EY, Tan CM, Kou Y, Duan Q, Wang Z, Meirelles GV, Clark NR, and Ma'ayan A.** Enrichr: interactive and collaborative HTML5 gene list enrichment analysis tool. *BMC Bioinformatics* 14: 128, 2013.
25. **Chen J, Ceholski DK, Liang L, Fish K, and Hajjar RJ.** Variability in coronary artery anatomy affects consistency of cardiac damage after myocardial infarction in mice. *Am J Physiol Heart Circ Physiol* 313: H275-h282, 2017.
26. **Clancy RM, Markham AJ, Jackson T, Rasmussen SE, Blumenberg M, and Buyon JP.** Cardiac fibroblast transcriptome analyses support a role for interferogenic, profibrotic, and inflammatory genes in anti-SSA/Ro-associated congenital heart block. *Am J Physiol Heart Circ Physiol* 313: H631-h640, 2017.
27. **Columb MO, and Atkinson MS.** Statistical analysis: sample size and power estimations. *BJA Education* 16: 159-161, 2016.
28. **Costa PJ.** Truncated outlier filtering. *J Biopharm Stat* 24: 1115-1129, 2014.
29. **Curran-Everett D.** CORP: Minimizing the chances of false positives and false negatives. *J Appl Physiol* (1985) 122: 91-95, 2017.
30. **Curran-Everett D.** Explorations in statistics: confidence intervals. *Adv Physiol Educ* 33: 87-90, 2009.
31. **Curran-Everett D.** Explorations in statistics: correlation. *Adv Physiol Educ* 34: 186-191, 2010.
32. **Curran-Everett D.** Explorations in statistics: hypothesis tests and P values. *Adv Physiol Educ* 33: 81-86, 2009.
33. **Curran-Everett D.** Explorations in statistics: permutation methods. *Adv Physiol Educ* 36: 181-187, 2012.
34. **Curran-Everett D.** Explorations in statistics: regression. *Adv Physiol Educ* 35: 347-352, 2011.
35. **Curran-Everett D.** Explorations in statistics: standard deviations and standard errors. *Adv Physiol Educ* 32: 203-208, 2008.
36. **Curran-Everett D.** Explorations in statistics: statistical facets of reproducibility. *Adv Physiol Educ* 40: 248-252, 2016.
37. **Curran-Everett D.** Explorations in statistics: the analysis of ratios and normalized data. *Adv Physiol Educ* 37: 213-219, 2013.
38. **Curran-Everett D.** Explorations in statistics: the assumption of normality. *Adv Physiol Educ* 41: 449-453, 2017.
39. **Curran-Everett D.** Explorations in statistics: the bootstrap. *Adv Physiol Educ* 33: 286-292, 2009.
40. **Curran-Everett D.** Multiple comparisons: philosophies and illustrations. *Am J Physiol Regul Integr Comp Physiol* 279: R1-8, 2000.
41. **Curran-Everett D.** Small steps to help improve the caliber of the reporting of statistics. *Adv Physiol Educ* 41: 321-323, 2017.
42. **Curran-Everett D, and Benos DJ.** Guidelines for reporting statistics in journals published by the American Physiological Society. *Adv Physiol Educ* 28: 85-87, 2004.
43. **Curran-Everett D, and Benos DJ.** Guidelines for reporting statistics in journals published by the American Physiological Society: the sequel. *Adv Physiol Educ* 31: 295-298, 2007.
44. **Curran-Everett D, Taylor S, and Kafadar K.** Fundamental concepts in statistics: elucidation and illustration. *J Appl Physiol* (1985) 85: 775-786, 1998.

45. **Dal-Secco D, DalBo S, Lautherbach NES, Gava FN, Celes MRN, Benedet PO, Souza AH, Akinaga J, Lima V, Silva KP, Kiguti LRA, Rossi MA, Kettelhut IC, Pupo AS, Cunha FQ, and Assreuy J.** Cardiac hyporesponsiveness in severe sepsis is associated with nitric oxide-dependent activation of G protein receptor kinase. *Am J Physiol Heart Circ Physiol* 313: H149-h163, 2017.
46. **Dash SN, Narumanchi S, Paavola J, Perttunen S, Wang H, Lakkisto P, Tikkanen I, and Lehtonen S.** Sept7b is required for the subcellular organization of cardiomyocytes and cardiac function in zebrafish. *Am J Physiol Heart Circ Physiol* 312: H1085-h1095, 2017.
47. **Dergacheva O, Yamanaka A, Schwartz AR, Polotsky VY, and Mendelowitz D.** Optogenetic identification of hypothalamic orexin neuron projections to paraventricular spinally projecting neurons. *Am J Physiol Heart Circ Physiol* 312: H808-h817, 2017.
48. **Devine RD, Bicer S, Reiser PJ, and Wold LE.** Increased hypoxia-inducible factor-1alpha in striated muscle of tumor-bearing mice. *Am J Physiol Heart Circ Physiol* 312: H1154-h1162, 2017.
49. **Dodson RB, Miller TA, Powers K, Yang Y, Yu B, Albertine KH, and Zinkhan EK.** Intrauterine growth restriction influences vascular remodeling and stiffening in the weanling rat more than sex or diet. *Am J Physiol Heart Circ Physiol* 312: H250-h264, 2017.
50. **Du CK, Zhan DY, Akiyama T, Inagaki T, Shishido T, Shirai M, and Pearson JT.** Myocardial interstitial levels of serotonin and its major metabolite 5-hydroxyindole acetic acid during ischemia-reperfusion. *Am J Physiol Heart Circ Physiol* 312: H60-h67, 2017.
51. **Dufu K, Yalcin O, Ao-leong ESY, Hutchaleelala A, Xu Q, Li Z, Vlahakis N, Oksenberg D, Lehrer-Graiwer J, and Cabrales P.** GBT1118, a potent allosteric modifier of hemoglobin O2 affinity, increases tolerance to severe hypoxia in mice. *Am J Physiol Heart Circ Physiol* 313: H381-h391, 2017.
52. **Durgin BG, Cherepanova OA, Gomez D, Karaoli T, Alencar GF, Butcher JT, Zhou YQ, Bendeck MP, Isakson BE, Owens GK, and Connelly JJ.** Smooth muscle cell-specific deletion of Col15a1 unexpectedly leads to impaired development of advanced atherosclerotic lesions. *Am J Physiol Heart Circ Physiol* 312: H943-h958, 2017.
53. **El Hajj MC, Ninh VK, El Hajj EC, Bradley JM, and Gardner JD.** Estrogen receptor antagonism exacerbates cardiac structural and functional remodeling in female rats. *Am J Physiol Heart Circ Physiol* 312: H98-h105, 2017.
54. **Ellis LA, Ainslie PN, Armstrong VA, Morris LE, Simair RG, Sletten NR, Tallon CM, and McManus AM.** Anterior cerebral blood velocity and end-tidal CO2 responses to exercise differ in children and adults. *Am J Physiol Heart Circ Physiol* 312: H1195-h1202, 2017.
55. **Feridooni HA, MacDonald JK, Ghimire A, Pyle WG, and Howlett SE.** Acute exposure to progesterone attenuates cardiac contraction by modifying myofilament calcium sensitivity in the female mouse heart. *Am J Physiol Heart Circ Physiol* 312: H46-h59, 2017.
56. **Feridooni T, Hotchkiss A, Baguma-Nibasheka M, Zhang F, Allen B, Chinni S, and Pasumarthi KBS.** Effects of beta-adrenergic receptor drugs on embryonic ventricular cell proliferation and differentiation and their impact on donor cell transplantation. *Am J Physiol Heart Circ Physiol* 312: H919-h931, 2017.
57. **Freed JK, Durand MJ, Hoffmann BR, Densmore JC, Greene AS, and Gutterman DD.** Mitochondria-regulated formation of endothelium-derived extracellular vesicles shifts the mediator of flow-induced vasodilation. *Am J Physiol Heart Circ Physiol* 312: H1096-h1104, 2017.
58. **Froogh G, Pinto JT, Le Y, Kandhi S, Alelign Y, Huang A, and Sun D.** Chymase-dependent production of angiotensin II: an old enzyme in old hearts. *Am J Physiol Heart Circ Physiol* 312: H223-h231, 2017.
59. **Gadeberg HC, Kong CHT, Bryant SM, James AF, and Orchard CH.** Sarcolemmal distribution of ICa and INCX and Ca(2+) autoregulation in mouse ventricular myocytes. *Am J Physiol Heart Circ Physiol* 313: H190-h199, 2017.
60. **Gamble C, Krishan A, Stocken D, Lewis S, Juszczak E, Dore C, Williamson PR, Altman DG, Montgomery A, Lim P, Berlin J, Senn S, Day S, Barbachano Y, and Loder E.** Guidelines for the Content of Statistical Analysis Plans in Clinical Trials. *Jama* 318: 2337-2343, 2017.
61. **Gao XM, Wu QZ, Kiriazis H, Su Y, Han LP, Pearson JT, Taylor AJ, and Du XJ.** Microvascular leakage in acute myocardial infarction: characterization by histology, biochemistry, and magnetic resonance imaging. *Am J Physiol Heart Circ Physiol* 312: H1068-h1075, 2017.
62. **Garcia-Perez MA.** Statistical conclusion validity: some common threats and simple remedies. *Front Psychol* 3: 325, 2012.

63. **Gent S, Skyschally A, Kleinbongard P, and Heusch G.** Ischemic preconditioning in pigs: a causal role for signal transducer and activator of transcription 3. *Am J Physiol Heart Circ Physiol* 312: H478-h484, 2017.
64. **Gonzalez Bosc LV, Osmond JM, Giermakowska WK, Pace CE, Riggs JL, Jackson-Weaver O, and Kanagy NL.** NFAT regulation of cystathionine gamma-lyase expression in endothelial cells is impaired in rats exposed to intermittent hypoxia. *Am J Physiol Heart Circ Physiol* 312: H791-h799, 2017.
65. **Good P, and Hardin J.** *Common Errors in Statistics (and How to Avoid Them)*. Hoboken, NJ: John Wiley & Sons, 2009.
66. **Goodman SN, Fanelli D, and Ioannidis JP.** What does research reproducibility mean? *Sci Transl Med* 8: 341ps312, 2016.
67. **Gopal K, Saleme B, Al Batran R, Aburasayn H, Eshreif A, Ho KL, Ma WK, Almutairi M, Eaton F, Gandhi M, Park EA, Sutendra G, and Ussher JR.** FoxO1 regulates myocardial glucose oxidation rates via transcriptional control of pyruvate dehydrogenase kinase 4 expression. *Am J Physiol Heart Circ Physiol* 313: H479-h490, 2017.
68. **Graw JA, Yu B, Rezoagli E, Warren HS, Buys ES, Bloch DB, and Zapol WM.** Endothelial dysfunction inhibits the ability of haptoglobin to prevent hemoglobin-induced hypertension. *Am J Physiol Heart Circ Physiol* 312: H1120-h1127, 2017.
69. **Grotle AK, Garcia EA, Huo Y, and Stone AJ.** Temporal changes in the exercise pressor reflex in type 1 diabetic rats. *Am J Physiol Heart Circ Physiol* 313: H708-h714, 2017.
70. **Grubbs F.** Sample criteria for testing outlying observations. *Ann Math Statist* 21: 27-58, 1950.
71. **Guerrero-Beltran CE, Bernal-Ramirez J, Lozano O, Oropeza-Almazan Y, Castillo EC, Garza JR, Garcia N, Vela J, Garcia-Garcia A, Ortega E, Torre-Amione G, Ornelas-Soto N, and Garcia-Rivas G.** Silica nanoparticles induce cardiotoxicity interfering with energetic status and Ca(2+) handling in adult rat cardiomyocytes. *Am J Physiol Heart Circ Physiol* 312: H645-h661, 2017.
72. **Guichard JL, Rogowski M, Agnetti G, Fu L, Powell P, Wei CC, Collawn J, and Dell'Italia LJ.** Desmin loss and mitochondrial damage precede left ventricular systolic failure in volume overload heart failure. *Am J Physiol Heart Circ Physiol* 313: H32-h45, 2017.
73. **Guo L, Yin A, Zhang Q, Zhong T, O'Rourke ST, and Sun C.** Angiotensin-(1-7) attenuates angiotensin II-induced cardiac hypertrophy via a Sirt3-dependent mechanism. *Am J Physiol Heart Circ Physiol* 312: H980-h991, 2017.
74. **Halade GV, Kain V, Ingle KA, and Prabhu SD.** Interaction of 12/15-lipoxygenase with fatty acids alters the leukocyte kinetics leading to improved postmyocardial infarction healing. *Am J Physiol Heart Circ Physiol* 313: H89-h102, 2017.
75. **Hanft LM, Emter CA, and McDonald KS.** Cardiac myofibrillar contractile properties during the progression from hypertension to decompensated heart failure. *Am J Physiol Heart Circ Physiol* 313: H103-h113, 2017.
76. **Hart EC, Head GA, Carter JR, Wallin BG, May CN, Hamza SM, Hall JE, Charkoudian N, and Osborn JW.** Recording sympathetic nerve activity in conscious humans and other mammals: guidelines and the road to standardization. *Am J Physiol Heart Circ Physiol* 312: H1031-h1051, 2017.
77. **Harvey RE, Barnes JN, Hart EC, Nicholson WT, Joyner MJ, and Casey DP.** Influence of sympathetic nerve activity on aortic hemodynamics and pulse wave velocity in women. *Am J Physiol Heart Circ Physiol* 312: H340-h346, 2017.
78. **Hashimoto R, Joshi SR, Jiang H, Capdevila JH, McMurtry IF, Laniado Schwartzman M, and Gupte SA.** Cyp2c44 gene disruption is associated with increased hematopoietic stem cells: implication in chronic hypoxia-induced pulmonary hypertension. *Am J Physiol Heart Circ Physiol* 313: H293-h303, 2017.
79. **Hathaway QA, Nichols CE, Shepherd DL, Stapleton PA, McLaughlin SL, Stricker JC, Rellick SL, Pinti MV, Abukabda AB, McBride CR, Yi J, Stine SM, Nurkiewicz TR, and Hollander JM.** Maternal-engineered nanomaterial exposure disrupts progeny cardiac function and bioenergetics. *Am J Physiol Heart Circ Physiol* 312: H446-h458, 2017.
80. **Hayoz S, Pettis J, Bradley V, Segal SS, and Jackson WF.** Increased amplitude of inward rectifier K(+) currents with advanced age in smooth muscle cells of murine superior epigastric arteries. *Am J Physiol Heart Circ Physiol* 312: H1203-h1214, 2017.
81. **He Y.** Missing data analysis using multiple imputation: getting to the heart of the matter. *Circ Cardiovasc Qual Outcomes* 3: 98-105, 2010.



82. **Hoiland RL, Smith KJ, Carter HH, Lewis NCS, Tymko MM, Wildfong KW, Bain AR, Green DJ, and Ainslie PN.** Shear-mediated dilation of the internal carotid artery occurs independent of hypercapnia. *Am J Physiol Heart Circ Physiol* 313: H24-h31, 2017.
83. **Howard-Quijano K, Takamiya T, Dale EA, Kipke J, Kubo Y, Grogan T, Afyouni A, Shivkumar K, and Mahajan A.** Spinal cord stimulation reduces ventricular arrhythmias during acute ischemia by attenuation of regional myocardial excitability. *Am J Physiol Heart Circ Physiol* 313: H421-h431, 2017.
84. **Huang J, Wu J, Wang S, You J, Ye Y, Ding Z, Yang F, Wang X, Guo J, Ma L, Yuan J, Shen Y, Yang X, Sun A, Jiang H, Bu L, Backx PH, Ge J, and Zou Y.** Ultrasound biomicroscopy validation of a murine model of cardiac hypertrophic preconditioning: comparison with a hemodynamic assessment. *Am J Physiol Heart Circ Physiol* 313: H138-h148, 2017.
85. **Hunter I, Soler A, Joseph G, Hutcheson B, Bradford C, Zhang FF, Potter B, Proctor S, and Rocic P.** Cardiovascular function in male and female JCR:LA-cp rats: effect of high-fat/high-sucrose diet. *Am J Physiol Heart Circ Physiol* 312: H742-h751, 2017.
86. **Ichinose M, Ichinose-Kuwahara T, Watanabe K, Kondo N, and Nishiyasu T.** The carotid baroreflex modifies the pressor threshold of the muscle metaboreflex in humans. *Am J Physiol Heart Circ Physiol* 313: H650-h657, 2017.
87. **Irie T, Yamakawa K, Hamon D, Nakamura K, Shivkumar K, and Vaseghi M.** Cardiac sympathetic innervation via middle cervical and stellate ganglia and antiarrhythmic mechanism of bilateral stellectomy. *Am J Physiol Heart Circ Physiol* 312: H392-h405, 2017.
88. **Jackson WF, and Boerman EM.** Regional heterogeneity in the mechanisms of myogenic tone in hamster arterioles. *Am J Physiol Heart Circ Physiol* 313: H667-h675, 2017.
89. **Jiang X, Sucharov J, Stauffer BL, Miyamoto SD, and Sucharov CC.** Exosomes from pediatric dilated cardiomyopathy patients modulate a pathological response in cardiomyocytes. *Am J Physiol Heart Circ Physiol* 312: H818-h826, 2017.
90. **Joseph G, Soler A, Hutcheson R, Hunter I, Bradford C, Hutcheson B, Gotlinger KH, Jiang H, Falck JR, Proctor S, Schwartzman ML, and Rocic P.** Elevated 20-HETE impairs coronary collateral growth in metabolic syndrome via endothelial dysfunction. *Am J Physiol Heart Circ Physiol* 312: H528-h540, 2017.
91. **Kacha AK, Nizamuddin SL, Nizamuddin J, Ramakrishna H, and Shahul SS.** Clinical Study Designs and Sources of Error in Medical Research. *J Cardiothorac Vasc Anesth* 2018.
92. **Kaimoto S, Hoshino A, Ariyoshi M, Okawa Y, Tateishi S, Ono K, Uchihashi M, Fukai K, Iwai-Kanai E, and Matoba S.** Activation of PPAR-alpha in the early stage of heart failure maintained myocardial function and energetics in pressure-overload heart failure. *Am J Physiol Heart Circ Physiol* 312: H305-h313, 2017.
93. **Kajimoto M, Ledee DR, Isern NG, and Portman MA.** Right ventricular metabolism during venoarterial extracorporeal membrane oxygenation in immature swine heart in vivo. *Am J Physiol Heart Circ Physiol* 312: H721-h727, 2017.
94. **Kakino T, Saku K, Sakamoto T, Sakamoto K, Akashi T, Ikeda M, Ide T, Kishi T, Tsutsui H, and Sunagawa K.** Prediction of hemodynamics under left ventricular assist device. *Am J Physiol Heart Circ Physiol* 312: H80-h88, 2017.
95. **Karam CN, Warren CM, Henze M, Banke NH, Lewandowski ED, and Solaro RJ.** Peroxisome proliferator-activated receptor-alpha expression induces alterations in cardiac myofilaments in a pressure-overload model of hypertrophy. *Am J Physiol Heart Circ Physiol* 312: H681-h690, 2017.
96. **Karki S, Ngo DTM, Farb MG, Park SY, Saggese SM, Hamburg NM, Carmine B, Hess DT, Walsh K, and Gokce N.** WNT5A regulates adipose tissue angiogenesis via antiangiogenic VEGF-A165b in obese humans. *Am J Physiol Heart Circ Physiol* 313: H200-h206, 2017.
97. **Khan SG, Melikian N, Shabeeh H, Cabaco AR, Martin K, Khan F, O'Gallagher K, Chowienczyk PJ, and Shah AM.** The human coronary vasodilatory response to acute mental stress is mediated by neuronal nitric oxide synthase. *Am J Physiol Heart Circ Physiol* 313: H578-h583, 2017.
98. **Kilkenny C, Browne WJ, Cuthill IC, Emerson M, and Altman DG.** Improving bioscience research reporting: the ARRIVE guidelines for reporting animal research. *PLoS Biol* 8: e1000412, 2010.
99. **Kimura T, Tse K, McArdle S, Gerhardt T, Miller J, Mikulski Z, Sidney J, Sette A, Wolf D, and Ley K.** Atheroprotective vaccination with MHC-II-restricted ApoB peptides induces peritoneal IL-10-producing CD4 T cells. *Am J Physiol Heart Circ Physiol* 312: H781-h790, 2017.

100. **Koning AM, Meijers WC, Minovic I, Post A, Feelisch M, Pasch A, Leuvenink HG, de Boer RA, Bakker SJ, and van Goor H.** The fate of sulfate in chronic heart failure. *Am J Physiol Heart Circ Physiol* 312: H415-h421, 2017.
101. **Korayem AH, Mujica PE, Aramoto H, Duran RG, Nepali PR, Kim DD, Harris AL, Sanchez FA, and Duran WN.** Endothelial cAMP deactivates ischemia-reperfusion-induced microvascular hyperpermeability via Rap1-mediated mechanisms. *Am J Physiol Heart Circ Physiol* 313: H179-h189, 2017.
102. **Kuleshov MV, Jones MR, Rouillard AD, Fernandez NF, Duan Q, Wang Z, Koplev S, Jenkins SL, Jagodnik KM, Lachmann A, McDermott MG, Monteiro CD, Gundersen GW, and Ma'ayan A.** Enrichr: a comprehensive gene set enrichment analysis web server 2016 update. *Nucleic Acids Res* 44: W90-97, 2016.
103. **Lal N, Chiu AP, Wang F, Zhang D, Jia J, Wan A, Vlodavsky I, Hussein B, and Rodrigues B.** Loss of VEGFB and its signaling in the diabetic heart is associated with increased cell death signaling. *Am J Physiol Heart Circ Physiol* 312: H1163-h1175, 2017.
104. **Landers-Ramos RQ, Sapp RM, VandeWater E, Macko J, Robinson S, Wang Y, Chin ER, Spangenburg EE, Prior SJ, and Hagberg JM.** Investigating the extremes of the continuum of paracrine functions in CD34-/CD31+ CACs across diverse populations. *Am J Physiol Heart Circ Physiol* 312: H162-h172, 2017.
105. **Lang T, and Secic M.** *How to Report Statistics in Medicine*. Philadelphia: American College of Physicians, 2006.
106. **Lang TA, and Altman DG.** Basic statistical reporting for articles published in biomedical journals: the "Statistical Analyses and Methods in the Published Literature" or the SAMPL Guidelines. *Int J Nurs Stud* 52: 5-9, 2015.
107. **Lang TA, and Altman DG.** Statistical Analyses and Methods in the Published Literature: The SAMPL Guidelines\*. In: *Guidelines for Reporting Health Research: A User's Manual* John Wiley & Sons, Ltd, 2014, p. 264-274.
108. **Ledee D, Kang MA, Kajimoto M, Purvine S, Brewer H, Pasa-Tolic L, and Portman MA.** Quantitative cardiac phosphoproteomics profiling during ischemia-reperfusion in an immature swine model. *Am J Physiol Heart Circ Physiol* 313: H125-h137, 2017.
109. **Lee RH, Couto ESA, Lerner FM, Wilkins CS, Valido SE, Klein DD, Wu CY, Neumann JT, Della-Morte D, Koslow SH, Minagar A, and Lin HW.** Interruption of perivascular sympathetic nerves of cerebral arteries offers neuroprotection against ischemia. *Am J Physiol Heart Circ Physiol* 312: H182-h188, 2017.
110. **Leskova A, Pardue S, Glawe JD, Kevil CG, and Shen X.** Role of thiosulfate in hydrogen sulfide-dependent redox signaling in endothelial cells. *Am J Physiol Heart Circ Physiol* 313: H256-h264, 2017.
111. **Leucker TM, Nomura Y, Kim JH, Bhatta A, Wang V, Wecker A, Jandu S, Santhanam L, Berkowitz D, Romer L, and Pandey D.** Cystathionine gamma-lyase protects vascular endothelium: a role for inhibition of histone deacetylase 6. *Am J Physiol Heart Circ Physiol* 312: H711-h720, 2017.
112. **Li G, Qin L, Wang L, Li X, Caulk AW, Zhang J, Chen PY, and Xin S.** Inhibition of the mTOR pathway in abdominal aortic aneurysm: implications of smooth muscle cell contractile phenotype, inflammation, and aneurysm expansion. *Am J Physiol Heart Circ Physiol* 312: H1110-h1119, 2017.
113. **Li H, Mani S, Wu L, Fu M, Shuang T, Xu C, and Wang R.** The interaction of estrogen and CSE/H2S pathway in the development of atherosclerosis. *Am J Physiol Heart Circ Physiol* 312: H406-h414, 2017.
114. **Li W, Cui N, Mazzuca MQ, Mata KM, and Khalil RA.** Increased vascular and uteroplacental matrix metalloproteinase-1 and -7 levels and collagen type I deposition in hypertension in pregnancy: role of TNF-alpha. *Am J Physiol Heart Circ Physiol* 313: H491-h507, 2017.
115. **Lindsey ML, Bolli R, Canty JM, Du XJ, Frangogiannis NG, Frantz S, Gourdie RG, Holmes JW, Jones SP, Kloner R, Lefer DJ, Liao R, Murphy E, Ping P, Przyklenk K, Recchia FA, Schwartz Longacre L, Ripplinger CM, Van Eyk JE, and Heusch G.** Guidelines for Experimental Models of Myocardial Ischemia and Infarction. *Am J Physiol Heart Circ Physiol* 2018.
116. **Lindsey ML, Kassiri Z, Virag JAI, de Castro Bras LE, and Scherrer-Crosbie M.** Guidelines for Measuring Cardiac Physiology in Mice. *Am J Physiol Heart Circ Physiol* 2018.
117. **Liu ZH, Dai DP, Ding FH, Pan WQ, Fang YH, Zhang Q, Li M, Yang P, Wang XQ, Shen Y, Wang LJ, Yan XX, He YH, Yang K, Zhang RY, Shen WF, Chen Y, and Lu L.** Association of serum

HMGB2 level with MACE at 1 mo of myocardial infarction: Aggravation of myocardial ischemic injury in rats by HMGB2 via ROS. *Am J Physiol Heart Circ Physiol* 312: H422-h436, 2017.

118. **Matsumura N, Robertson IM, Hamza SM, Soltys CM, Sung MM, Masson G, Beker DL, and Dyck JR.** A novel complex I inhibitor protects against hypertension-induced left ventricular hypertrophy. *Am J Physiol Heart Circ Physiol* 312: H561-h570, 2017.

119. **Menyhart A, Zolei-Szenasi D, Puskas T, Makra P, Bari F, and Farkas E.** Age or ischemia uncouples the blood flow response, tissue acidosis, and direct current potential signature of spreading depolarization in the rat brain. *Am J Physiol Heart Circ Physiol* 313: H328-h337, 2017.

120. **Merchant S, Medow MS, Visintainer P, Terilli C, and Stewart JM.** Oscillatory lower body negative pressure impairs working memory task-related functional hyperemia in healthy volunteers. *Am J Physiol Heart Circ Physiol* 312: H672-h680, 2017.

121. **Merlini M, Shi Y, Keller S, Savarese G, Akhmedov A, Derungs R, Spescha RD, Kulic L, Nitsch RM, Luscher TF, and Camici GG.** Reduced nitric oxide bioavailability mediates cerebroarterial dysfunction independent of cerebral amyloid angiopathy in a mouse model of Alzheimer's disease. *Am J Physiol Heart Circ Physiol* 312: H232-h238, 2017.

122. **Meschiari CA, Jung M, Iyer RP, Yabluchanskiy A, Toba H, Garrett MR, and Lindsey ML.** Macrophage overexpression of matrix metalloproteinase-9 in aged mice improves diastolic physiology and cardiac wound healing after myocardial infarction. *Am J Physiol Heart Circ Physiol* 314: H224-h235, 2018.

123. **Mickelson AV, Gollapudi SK, and Chandra M.** Cardiomyopathy-related mutation (A30V) in mouse cardiac troponin T divergently alters the magnitude of stretch activation in alpha- and beta-myosin heavy chain fibers. *Am J Physiol Heart Circ Physiol* 312: H141-h149, 2017.

124. **Midgett M, Thornburg K, and Rugonyi S.** Blood flow patterns underlie developmental heart defects. *Am J Physiol Heart Circ Physiol* 312: H632-h642, 2017.

125. **Moller PW, Winkler B, Hurni S, Heinisch PP, Bloch A, Sondergaard S, Jakob SM, Takala J, and Berger D.** Right atrial pressure and venous return during cardiopulmonary bypass. *Am J Physiol Heart Circ Physiol* 313: H408-h420, 2017.

126. **Morais RL, Hilzendeger AM, Visniauskas B, Todiras M, Alenina N, Mori MA, Araujo RC, Nakaie CR, Chagas JR, Carmona AK, Bader M, and Pesquero JB.** High aminopeptidase A activity contributes to blood pressure control in ob/ob mice by AT2 receptor-dependent mechanism. *Am J Physiol Heart Circ Physiol* 312: H437-h445, 2017.

127. **Morgan S, Reichert T, and Harrison T.** *From Numbers to Words: Reporting Statistical Results for the Social Sciences*. Boston, MA: Allyn & Bacon, 2002.

128. **Morrissey PJ, Murphy KR, Daley JM, Schofield L, Turan NN, Arunachalam K, Abbott JD, and Koren G.** A novel method of standardized myocardial infarction in aged rabbits. *Am J Physiol Heart Circ Physiol* 312: H959-h967, 2017.

129. **Nassal MMJ, Wan X, Dale Z, Deschenes I, Wilson LD, and Piktet JS.** Mild hypothermia preserves myocardial conduction during ischemia by maintaining gap junction intracellular communication and Na(+) channel function. *Am J Physiol Heart Circ Physiol* 312: H886-h895, 2017.

130. **Nawaito SA, Dingar D, Sahadevan P, Hussein B, Sahmi F, Shi Y, Gillis MA, Gaestel M, Tardif JC, and Allen BG.** MK5 haplodeficiency attenuates hypertrophy and preserves diastolic function during remodeling induced by chronic pressure overload in the mouse heart. *Am J Physiol Heart Circ Physiol* 313: H46-h58, 2017.

131. **Nemmar A, Al-Salam S, Yuvaraju P, Beegam S, Yasin J, and Ali BH.** Chronic exposure to water-pipe smoke induces cardiovascular dysfunction in mice. *Am J Physiol Heart Circ Physiol* 312: H329-h339, 2017.

132. **Nicol A, and Pexman P.** *Presenting Your Findings: A Practical Guide for Creating Tables*. Washington, DC: American Psychological Association, 1999.

133. **Notay K, Incognito AV, and Millar PJ.** Acute beetroot juice supplementation on sympathetic nerve activity: a randomized, double-blind, placebo-controlled proof-of-concept study. *Am J Physiol Heart Circ Physiol* 313: H59-h65, 2017.

134. **Peacock J, and Kerry S.** *Presenting Medical Statistics from Proposal to Publication*. Oxford: Oxford University Press, 2007.

135. **Peng RD.** Reproducible research in computational science. *Science* 334: 1226-1227, 2011.

136. **Pitra S, and Stern JE.** A-type K(+) channels contribute to the prorenin increase of firing activity in hypothalamic vasopressin neurosecretory neurons. *Am J Physiol Heart Circ Physiol* 313: H548-h557, 2017.

137. **Pocock SJ, McMurray JJV, and Collier TJ.** Statistical Controversies in Reporting of Clinical Trials: Part 2 of a 4-Part Series on Statistics for Clinical Trials. *J Am Coll Cardiol* 66: 2648-2662, 2015.

138. **Pung YF, Chilian WM, Bennett MR, Figg N, and Kamarulzaman MH.** The JCR:LA-cp rat: a novel rodent model of cystic medial necrosis. *Am J Physiol Heart Circ Physiol* 312: H541-h545, 2017.

139. **Ragavan M, Kirpich A, Fu X, Burgess SC, McIntyre LM, and Merritt ME.** A comprehensive analysis of myocardial substrate preference emphasizes the need for a synchronized fluxomic/metabolomic research design. *Am J Physiol Heart Circ Physiol* 312: H1215-h1223, 2017.

140. **Rahman A, Zhou YQ, Yee Y, Dazai J, Cahill LS, Kingdom J, Macgowan CK, and Sled JG.** Ultrasound detection of altered placental vascular morphology based on hemodynamic pulse wave reflection. *Am J Physiol Heart Circ Physiol* 312: H1021-h1029, 2017.

141. **Renguet E, Ginion A, Gelinias R, Bultot L, Auquier J, Robillard Frayne I, Daneault C, Vanoverschelde JL, Des Rosiers C, Hue L, Horman S, Beauloye C, and Bertrand L.** Metabolism and acetylation contribute to leucine-mediated inhibition of cardiac glucose uptake. *Am J Physiol Heart Circ Physiol* 313: H432-h445, 2017.

142. **Richards JC, Crecelius AR, Larson DG, Luckasen GJ, and Dinunno FA.** Impaired peripheral vasodilation during graded systemic hypoxia in healthy older adults: role of the sympathoadrenal system. *Am J Physiol Heart Circ Physiol* 312: H832-h841, 2017.

143. **Robinson AT, Fancher IS, Sudhakar V, Bian JT, Cook MD, Mahmoud AM, Ali MM, Ushio-Fukai M, Brown MD, Fukai T, and Phillips SA.** Short-term regular aerobic exercise reduces oxidative stress produced by acute in the adipose microvasculature. *Am J Physiol Heart Circ Physiol* 312: H896-h906, 2017.

144. **Romero SA, Gagnon D, Adams AN, Cramer MN, Kouda K, and Crandall CG.** Acute limb heating improves macro- and microvascular dilator function in the leg of aged humans. *Am J Physiol Heart Circ Physiol* 312: H89-h97, 2017.

145. **Romero SA, Gagnon D, Adams AN, Morales G, Kouda K, Jaffery MF, Cramer MN, and Crandall CG.** Folic acid ingestion improves skeletal muscle blood flow during graded handgrip and plantar flexion exercise in aged humans. *Am J Physiol Heart Circ Physiol* 313: H658-h666, 2017.

146. **Rosner B.** *Fundamentals of Biostatistics*. Boston, MA: Cengage, 2016.

147. **Rossi S, Buccarello A, Ershler PR, Lux RL, Callegari S, Corradi D, Carnevali L, Sgoifo A, Miragoli M, Musso E, and Macchi E.** Effect of anisotropy on ventricular vulnerability to unidirectional block and reentry by single premature stimulation during normal sinus rhythm in rat heart. *Am J Physiol Heart Circ Physiol* 312: H584-h607, 2017.

148. **Rowe GC, Asimaki A, Graham EL, Martin KD, Margulies KB, Das S, Saffitz J, and Arany Z.** Development of dilated cardiomyopathy and impaired calcium homeostasis with cardiac-specific deletion of ESRRbeta. *Am J Physiol Heart Circ Physiol* 312: H662-h671, 2017.

149. **Russell-Puleri S, Dela Paz NG, Adams D, Chattopadhyay M, Cancel L, Ebong E, Orr AW, Frangos JA, and Tarbell JM.** Fluid shear stress induces upregulation of COX-2 and PGI2 release in endothelial cells via a pathway involving PECAM-1, PI3K, FAK, and p38. *Am J Physiol Heart Circ Physiol* 312: H485-h500, 2017.

150. **Ryzhov S, Matafonov A, Galindo CL, Zhang Q, Tran TL, Lenihan DJ, Lenneman CG, Feoktistov I, and Sawyer DB.** ERBB signaling attenuates proinflammatory activation of nonclassical monocytes. *Am J Physiol Heart Circ Physiol* 312: H907-h918, 2017.

151. **Saiki H, Moulay G, Guenzel AJ, Liu W, Decklever TD, Classic KL, Pham L, Chen HH, Burnett JC, Russell SJ, and Redfield MM.** Experimental cardiac radiation exposure induces ventricular diastolic dysfunction with preserved ejection fraction. *Am J Physiol Heart Circ Physiol* 313: H392-h407, 2017.

152. **Sakai M, Suzuki T, Tomita K, Yamashita S, Palikhe S, Hattori K, Yoshimura N, Matsuda N, and Hattori Y.** Diminished responsiveness to dobutamine as an inotrope in mice with cecal ligation and puncture-induced sepsis: attribution to phosphodiesterase 4 upregulation. *Am J Physiol Heart Circ Physiol* 312: H1224-h1237, 2017.

153. **Salhiyyah K, Sarathchandra P, Latif N, Yacoub MH, and Chester AH.** Hypoxia-mediated regulation of the secretory properties of mitral valve interstitial cells. *Am J Physiol Heart Circ Physiol* 313: H114-h23, 2017.

154. **Sanguesa G, Shaligram S, Akther F, Roglans N, Laguna JC, Rahimian R, and Alegret M.** Type of supplemented simple sugar, not merely calorie intake, determines adverse effects on metabolism and aortic function in female rats. *Am J Physiol Heart Circ Physiol* 312: H289-h304, 2017.
155. **Sanz-de la Garza M, Rubies C, Batlle M, Bijmens BH, Mont L, Sitges M, and Guasch E.** Severity of structural and functional right ventricular remodeling depends on training load in an experimental model of endurance exercise. *Am J Physiol Heart Circ Physiol* 313: H459-h468, 2017.
156. **Seitz BM, Orer HS, Krieger-Burke T, Darios ES, Thompson JM, Fink GD, and Watts SW.** 5-HT causes splanchnic venodilation. *Am J Physiol Heart Circ Physiol* 313: H676-h686, 2017.
157. **Seldin MM, Kim ED, Romay MC, Li S, Rau CD, Wang JJ, Krishnan KC, Wang Y, Deb A, and Lusis AJ.** A systems genetics approach identifies Trp53inp2 as a link between cardiomyocyte glucose utilization and hypertrophic response. *Am J Physiol Heart Circ Physiol* 312: H728-h741, 2017.
158. **Sharma NM, Nandi SS, Zheng H, Mishra PK, and Patel KP.** A novel role for miR-133a in centrally mediated activation of the renin-angiotensin system in congestive heart failure. *Am J Physiol Heart Circ Physiol* 312: H968-h979, 2017.
159. **Silva LE, Silva CA, Salgado HC, and Fazan R, Jr.** The role of sympathetic and vagal cardiac control on complexity of heart rate dynamics. *Am J Physiol Heart Circ Physiol* 312: H469-h477, 2017.
160. **Singh J.** FigShare. *J Pharmacol Pharmacother* 2: 138-139, 2011.
161. **Slinker BK, and Glantz SA.** Missing data in two-way analysis of variance. *Am J Physiol* 258: R291-297, 1990.
162. **Smith JR, Alexander AM, Hammer SM, Didier KD, Kurti SP, Broxterman RM, Barstow TJ, and Harms CA.** Cardiovascular consequences of the inspiratory muscle metaboreflex: effects of age and sex. *Am J Physiol Heart Circ Physiol* 312: H1013-h1020, 2017.
163. **Sorrentino A, Borghetti G, Zhou Y, Cannata A, Meo M, Signore S, Anversa P, Leri A, Goichberg P, Qanud K, Jacobson JT, Hintze TH, and Rota M.** Hyperglycemia induces defective Ca<sup>2+</sup> homeostasis in cardiomyocytes. *Am J Physiol Heart Circ Physiol* 312: H150-h161, 2017.
164. **Spitler KM, Ponce JM, Oudit GY, Hall DD, and Grueter CE.** Cardiac Med1 deletion promotes early lethality, cardiac remodeling, and transcriptional reprogramming. *Am J Physiol Heart Circ Physiol* 312: H768-h780, 2017.
165. **Spranger MD, Kaur J, Sala-Mercado JA, Krishnan AC, Abu-Hamdah R, Alvarez A, Machado TM, Augustyniak RA, and O'Leary DS.** Exaggerated coronary vasoconstriction limits muscle metaboreflex-induced increases in ventricular performance in hypertension. *Am J Physiol Heart Circ Physiol* 312: H68-h79, 2017.
166. **Staiculescu MC, Kim J, Mecham RP, and Wagenseil JE.** Mechanical behavior and matrisome gene expression in the aneurysm-prone thoracic aorta of newborn lysyl oxidase knockout mice. *Am J Physiol Heart Circ Physiol* 313: H446-h456, 2017.
167. **Standage SW, Bennion BG, Knowles TO, Ledee DR, Portman MA, McGuire JK, Liles WC, and Olson AK.** PPARalpha augments heart function and cardiac fatty acid oxidation in early experimental polymicrobial sepsis. *Am J Physiol Heart Circ Physiol* 312: H239-h249, 2017.
168. **Sugawara J, Tomoto T, Imai T, Maeda S, and Ogoh S.** Impact of mild orthostatic stress on aortic-cerebral hemodynamic transmission: insight from the frequency domain. *Am J Physiol Heart Circ Physiol* 312: H1076-h1084, 2017.
169. **Sung MM, Byrne NJ, Kim TT, Levasseur J, Masson G, Boisvenue JJ, Febbraio M, and Dyck JR.** Cardiomyocyte-specific ablation of CD36 accelerates the progression from compensated cardiac hypertrophy to heart failure. *Am J Physiol Heart Circ Physiol* 312: H552-h560, 2017.
170. **Sung MM, Byrne NJ, Robertson IM, Kim TT, Samokhvalov V, Levasseur J, Soltys CL, Fung D, Tyreman N, Denou E, Jones KE, Seubert JM, Schertzer JD, and Dyck JR.** Resveratrol improves exercise performance and skeletal muscle oxidative capacity in heart failure. *Am J Physiol Heart Circ Physiol* 312: H842-h853, 2017.
171. **Sweat RS, Sloas DC, Stewart SA, Czarny-Ratajczak M, Baddoo M, Eastwood JR, Suarez-Martinez AD, Azimi MS, Burks HE, Chedister LO, Myers L, and Murfee WL.** Aging is associated with impaired angiogenesis, but normal microvascular network structure, in the rat mesentery. *Am J Physiol Heart Circ Physiol* 312: H275-h284, 2017.
172. **Takawale A, Zhang P, Azad A, Wang W, Wang X, Murray AG, and Kassiri Z.** Myocardial overexpression of TIMP3 after myocardial infarction exerts beneficial effects by promoting angiogenesis and suppressing early proteolysis. *Am J Physiol Heart Circ Physiol* 313: H224-h236, 2017.

173. **Tang Y, Yu S, Liu Y, Zhang J, Han L, and Xu Z.** MicroRNA-124 controls human vascular smooth muscle cell phenotypic switch via Sp1. *Am J Physiol Heart Circ Physiol* 313: H641-h649, 2017.
174. **Tanner MJ, Wang J, Ying R, Suboc TB, Malik M, Couillard A, Branum A, Puppala V, and Widlansky ME.** Dynamin-related protein 1 mediates low glucose-induced endothelial dysfunction in human arterioles. *Am J Physiol Heart Circ Physiol* 312: H515-h527, 2017.
175. **Thapa D, Zhang M, Manning JR, Guimaraes DA, Stoner MW, O'Doherty RM, Shiva S, and Scott I.** Acetylation of mitochondrial proteins by GCN5L1 promotes enhanced fatty acid oxidation in the heart. *Am J Physiol Heart Circ Physiol* 313: H265-h274, 2017.
176. **Thorpe RB, Hubbell MC, Silpanisong J, Williams JM, and Pearce WJ.** Chronic hypoxia attenuates the vasodilator efficacy of protein kinase G in fetal and adult ovine cerebral arteries. *Am J Physiol Heart Circ Physiol* 313: H207-h219, 2017.
177. **Toba H, Cannon PL, Yabluchanskiy A, Iyer RP, D'Armiento J, and Lindsey ML.** Transgenic overexpression of macrophage matrix metalloproteinase-9 exacerbates age-related cardiac hypertrophy, vessel rarefaction, inflammation, and fibrosis. *Am J Physiol Heart Circ Physiol* 312: H375-h383, 2017.
178. **Toib A, Zhang C, Borghetti G, Zhang X, Wallner M, Yang Y, Troupes CD, Kubo H, Sharp TE, Feldsott E, Berretta RM, Zalavadia N, Trappanese DM, Harper S, Gross P, Chen X, Mohsin S, and Houser SR.** Remodeling of repolarization and arrhythmia susceptibility in a myosin-binding protein C knockout mouse model. *Am J Physiol Heart Circ Physiol* 313: H620-h630, 2017.
179. **Tonegawa K, Otsuka W, Kumagai S, Matsunami S, Hayamizu N, Tanaka S, Moriwaki K, Obana M, Maeda M, Asahi M, Kiyonari H, Fujio Y, and Nakayama H.** Caveolae-specific activation loop between CaMKII and L-type Ca(2+) channel aggravates cardiac hypertrophy in alpha1-adrenergic stimulation. *Am J Physiol Heart Circ Physiol* 312: H501-h514, 2017.
180. **Tsai CY, Poon YY, Chen CH, and Chan SHH.** Anomalous baroreflex functionality inherent in floxed and Cre-Lox mice: an overlooked physiological phenotype. *Am J Physiol Heart Circ Physiol* 313: H700-h707, 2017.
181. **Tur J, Chapalamadugu KC, Katnik C, Cuevas J, Bhatnagar A, and Tipparaju SM.** Kvbeta1.1 (AKR6A8) senses pyridine nucleotide changes in the mouse heart and modulates cardiac electrical activity. *Am J Physiol Heart Circ Physiol* 312: H571-h583, 2017.
182. **Van Iterson EH, Johnson BD, Joyner MJ, Curry TB, and Olson TP.** Vo2 kinetics associated with moderate-intensity exercise in heart failure: impact of intrathecal fentanyl inhibition of group III/IV locomotor muscle afferents. *Am J Physiol Heart Circ Physiol* 313: H114-h124, 2017.
183. **Vranish JR, Young BE, Kaur J, Patik JC, Padilla J, and Fadel PJ.** Influence of sex on microvascular and macrovascular responses to prolonged sitting. *Am J Physiol Heart Circ Physiol* 312: H800-h805, 2017.
184. **Walfish S.** A Review of Statistical Outlier Methods. *Pharmaceutical Technology* 30: 1-3, 2006.
185. **Wallenstein S, Zucker CL, and Fleiss JL.** Some statistical methods useful in circulation research. *Circ Res* 47: 1-9, 1980.
186. **Wang Y, Shoemaker R, Powell D, Su W, Thatcher S, and Cassis L.** Differential effects of Mas receptor deficiency on cardiac function and blood pressure in obese male and female mice. *Am J Physiol Heart Circ Physiol* 312: H459-h468, 2017.
187. **Warren M, Sciuto KJ, Taylor TG, Garg V, Torres NS, Shibayama J, Spitzer KW, and Zaitsev AV.** Blockade of CaMKII depresses conduction preferentially in the right ventricular outflow tract and promotes ischemic ventricular fibrillation in the rabbit heart. *Am J Physiol Heart Circ Physiol* 312: H752-h767, 2017.
188. **Washio T, Sasaki H, and Ogoh S.** Transcranial Doppler-determined change in posterior cerebral artery blood flow velocity does not reflect vertebral artery blood flow during exercise. *Am J Physiol Heart Circ Physiol* 312: H827-h831, 2017.
189. **Weber GJ, Pushpakumar SB, and Sen U.** Hydrogen sulfide alleviates hypertensive kidney dysfunction through an epigenetic mechanism. *Am J Physiol Heart Circ Physiol* 312: H874-h885, 2017.
190. **Weissgerber TL, Milic NM, Winham SJ, and Garovic VD.** Beyond bar and line graphs: time for a new data presentation paradigm. *PLoS Biol* 13: e1002128, 2015.
191. **Weissgerber TL, Savic M, Winham SJ, Stanisavljevic D, Garovic VD, and Milic NM.** Data visualization, bar naked: A free tool for creating interactive graphics. *J Biol Chem* 292: 20592-20598, 2017.

192. **Xiao H, Tan I, Butlin M, Li D, and Avolio AP.** Arterial viscoelasticity: role in the dependency of pulse wave velocity on heart rate in conduit arteries. *Am J Physiol Heart Circ Physiol* 312: H1185-h1194, 2017.
193. **Xu D, Verma AK, Garg A, Bruner M, Fazel-Rezai R, Blaber AP, and Tavakolian K.** Significant role of the cardiopostural interaction in blood pressure regulation during standing. *Am J Physiol Heart Circ Physiol* 313: H568-h577, 2017.
194. **Xu Y, Gray A, Hardie DG, Uzun A, Shaw S, Padbury J, Phornphutkul C, and Tseng YT.** A novel, de novo mutation in the PRKAG2 gene: infantile-onset phenotype and the signaling pathway involved. *Am J Physiol Heart Circ Physiol* 313: H283-h292, 2017.
195. **Yang J, Brown ME, Zhang H, Martinez M, Zhao Z, Bhutani S, Yin S, Trac D, Xi JJ, and Davis ME.** High-throughput screening identifies microRNAs that target Nox2 and improve function after acute myocardial infarction. *Am J Physiol Heart Circ Physiol* 312: H1002-h1012, 2017.
196. **Yang TC, Chang PY, and Lu SC.** L5-LDL from ST-elevation myocardial infarction patients induces IL-1 $\beta$  production via LOX-1 and NLRP3 inflammasome activation in macrophages. *Am J Physiol Heart Circ Physiol* 312: H265-h274, 2017.
197. **Youssef N, Campbell S, Barr A, Gandhi M, Hunter B, Dolinsky V, Dyck JRB, Clanachan AS, and Light PE.** Hearts lacking plasma membrane KATP channels display changes in basal aerobic metabolic substrate preference and AMPK activity. *Am J Physiol Heart Circ Physiol* 313: H469-h478, 2017.
198. **Zamorano P, Marin N, Cordova F, Aguilar A, Meininger C, Boric MP, Golenhofen N, Contreras JE, Sarmiento J, Duran WN, and Sanchez FA.** S-nitrosylation of VASP at cysteine 64 mediates the inflammation-stimulated increase in microvascular permeability. *Am J Physiol Heart Circ Physiol* 313: H66-h71, 2017.
199. **Zhang B, Naik JS, Jernigan NL, Walker BR, and Resta TC.** Reduced membrane cholesterol limits pulmonary endothelial Ca(2+) entry after chronic hypoxia. *Am J Physiol Heart Circ Physiol* 312: H1176-h1184, 2017.
200. **Zhang YP, Huo YL, Fang ZQ, Wang XF, Li JD, Wang HP, Peng W, Johnson AK, and Xue B.** Maternal high-fat diet acts on the brain to induce baroreflex dysfunction and sensitization of angiotensin II-induced hypertension in adult offspring. *Am J Physiol Heart Circ Physiol* 314: H1061-h1069, 2018.

**Table 1.** Statistical procedures used in *AJP Heart* articles published between January 1, 2017 and October 6, 2017.

<b>Procedure</b>	<b>%</b>
Analysis of variance	40
<i>t</i> tests	31
Another two-sample test	7
Regression analyses	9
Chi-square tests	2
Other	11
<b>Total</b>	<b>100</b>

**Table 2.** Frequency of post-hoc tests used following ANOVA in *AJP Heart* articles published from January 1, 2017 to October 6, 2017.

<b>Procedure</b>	<b>%</b>
Bonferroni	33
Tukey	31
Dunnett	12
Student-Newman-Keuls	8
Least significant difference	6
Holm-Šidák	5
Other	5

**Table 3.** Frequency of reporting details in the 38 *AJP Heart* articles evaluated.

<b>Procedure</b>	<b>%</b>
SEM reported	82
Statistical software identified	66
Sample size listed for each individual group	79
<i>P</i> value reported as threshold ( $P < 0.05$ vs exact <i>P</i> value)	89
Spurious precision	47
Tests for normality reported	21
Power analysis reported	3



<p><b>Table 4. Minimum requirements checklist for reporting statistical analyses.</b>(42, 43, 106, 107) We recommend that the following details be provided in manuscripts to allow the data and the study's reproducibility to be assessed.</p>
<p>Experimental Design- define:</p> <ul style="list-style-type: none"> <li>• hypothesis tested and purpose of the statistical analysis</li> <li>• variables, groups, sample sizes (preferably determined by power analysis), sample randomization, significance (alpha) level</li> </ul>
<p>Methods- provide details on:</p> <ul style="list-style-type: none"> <li>• name and version of the statistical software used</li> <li>• any procedures taken to modify raw data before analysis (e.g., transformation, ratios, combining categories)</li> <li>• which tests were used for which comparisons, including post-hoc tests for ANOVA, and whether corrections were made for multiple comparisons</li> <li>• ancillary analyses (assumptions testing, identification and treatment of outliers and missing values)</li> <li>• data and details of statistical analysis should be available for requests to assess reproducibility on open repository sites (3)</li> </ul>
<p>Results- report:</p> <ul style="list-style-type: none"> <li>• precise <i>P</i> values to 2 (for 1.0 to 0.01) or 3 (for 0.009 to 0.001) decimal places; precision below <math>P &lt; 0.001</math> not needed except for genetic associations</li> <li>• variability reported using standard deviation</li> <li>• confidence intervals</li> <li>• data with appropriate scientific precision (e.g., report body weight with no significant digits after the decimal point)</li> <li>• upload source data into a public repository (e.g., Figshare, <a href="https://figshare.com/">https://figshare.com/</a>) at submission.</li> </ul>
<p>Table and figure legends:</p> <ul style="list-style-type: none"> <li>• name tests used and sample sizes for each group in figure legends and tables</li> <li>• provide information on sex of animals used, unless only one sex is stated in the methods</li> <li>• data visualization- use box and whisker plots or similar instead of column graphs, to show individual responses; consider clarity of information presented</li> </ul>

**Table 5. Common Statistical Tests**

Test	Description	Assumptions
Descriptive statistics	measures of center (mean- arithmetic average & median- value in the middle) and variability (SD, mean or median absolute deviation, & IQR)	may need to be normalized; SD for single measurements, IQR for data not normally distributed
One sample comparisons	used to evaluate a single group- one-sample t-test (parametric) & one sample chi-square test for variances	variables continuous, data independent, randomly selected; & normally distributed; no outliers
Two group comparisons- T-test	used to evaluate two groups: <ul style="list-style-type: none"> <li>paired t-test (Wilcoxon signed-rank test is the non-parametric version)</li> <li>unpaired t-test (Mann Whitney U test is the non-parametric version)</li> </ul>	all- no outliers <ul style="list-style-type: none"> <li>parametric; dependent variable is continuous; subjects paired or dependent; data normally distributed or sample size large enough that central limit theorem is satisfied; homogeneity of variance- if unequal variation, log transform or use Wilcoxon signed-rank test</li> <li>parametric; dependent variable is continuous; independent variable is categorical; dependent variable normally distributed (or sample size large enough that central limit theorem is satisfied) and randomly selected; observations are independent</li> </ul>
Chi-Square	<ul style="list-style-type: none"> <li>association- determines whether observed distribution differs from chance</li> <li>goodness of fit- determines whether an observed distribution differs from known distribution.</li> </ul>	non-parametric; variables are independent; relatively large sample size (minimum expected $n > 5$ for each group; if $n < 50$ for 2x2 table, use Fisher's exact test)
Kaplan-Meier	time to event (e.g., survival) analysis; can accommodate censored data; non-parametric log-rank test used to compare distributions	data independent; time intervals uniform & clearly defined; censoring similar between groups
Regression	predicts value of one variable from a predictor (univariate) or $\geq 2$ predictors (multivariate) <ul style="list-style-type: none"> <li>Linear regression- correlation coefficients</li> <li>Deming regression- line of best fit for</li> </ul>	variables are multivariate; little or no multi-collinearity; limited autocorrelation; homogeneity of variance

	a two-dimensional dataset <ul style="list-style-type: none"> <li>Logistic regression- odds ratio (with 95% confidence intervals)</li> </ul>	
Bland-Altman Plot	<ul style="list-style-type: none"> <li>analyzes agreement between two different assays</li> </ul>	data independent, randomly selected; & normally distributed
≥3 group comparisons- ANOVA	test for differences of means among groups <ul style="list-style-type: none"> <li>one-way- one variable examined</li> <li>multi-way- ≥2 variables examined</li> <li>repeated measures- over time, dose range</li> <li>Non-parametric: Kruskal-Wallis and Friedman</li> </ul> Post-tests evaluate which groups are different- examples: <u>Parametric:</u> Bonferroni, Duncan, Dunnett, false discovery rate, Student-Newman-Keuls, Fisher least significant difference, Sidak, Holm-Sidak, Tukey <u>Non-parametric:</u> Dunns	continuous dependent variable; categorical independent variable; independent observations; data randomly sampled; dependent variables are normally distributed or sample size large enough that Central Limit Theorem is satisfied (use log or arcsin transformation for data not normally distributed); homogeneity of variance; no outliers
ANOVA- analysis of variance; IQR- interquartile range		